


Title		
Size	Number	Revision
A3		
Date:	2015-09-16	Sheet of
File:	D:\projekt\sch rx termo.SchDoc	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
piezo 20mm		BZ1	buzzer piezo - tylko piny	buzzer piezo	1
1u		C1, C6	MELF-1206	kondensator	2
10n		C2, C3, C5, C7	MELF-1206	kondensator	4
100n		C4	MELF-1206	kondensator	1
Goldpin 5pin	Header, 5-Pin	J1	HDR1X5	Header 5	1
JH17		LCD1	LCD JH17	LCD JH17	1
Pad	Pad	P1, P2	pad fi 1mm	Pad	2
ANT	Pad	P3	Pad SMD 2x4mm	Pad	1
ANT	ANT	P4	pad fi 1mm	Pad	1
10k		R1, R2, R3, R4	MELF-1206	rezystor	4
36		R5, R6	MELF-1206	rezystor	2
switch 6x6		SW1	tact switch 6x6	switch	1
ATmega16L	8-Bit AVR Microcontroller with 32K Bytes of In-System Programmable Flash Memory	US1	44A_N	ATmega32-16AC	1
ZS-RR8-433		US2	RR8_Rx	RR8_Rx	1